



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:  Licensee Name:  Facility Address:  *Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au*

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
10/05/2016	MB002 (EPA#1)	Once	Standing Water Level	Quarterly	13.1	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Temperature (field)	Quarterly	18.9	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	pH (field)	Quarterly	6.14	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Electrical Conductivity (field)	Quarterly	10730	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Dissolved Oxygen (field)	Quarterly	0.36	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Redox (field)	Quarterly	-41	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Total Organic Carbon	Quarterly	4	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Total Dissolved Solids	Quarterly	10000	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Sodium (Na)	Quarterly	2600	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Potassium (I) Ion	Quarterly	21	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Calcium (II) Ion	Quarterly	380	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Magnesium (II) Ion	Quarterly	410	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	770	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Chloride	Quarterly	4600	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Sulphate	Quarterly	180	mg/L	N/A	N	
10/05/2016	MB002 (EPA#1)	Once	Ammonia as N	Quarterly	0.89	mg/L	10	N	
10/05/2016	MB003 (EPA#2)	Once	Standing Water Level	Quarterly	19.57	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Temperature (field)	Quarterly	20.6	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	pH (field)	Quarterly	6.2	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Electrical Conductivity (field)	Quarterly	2106	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Dissolved Oxygen (field)	Quarterly	0.24	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Redox (field)	Quarterly	-42	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Total Organic Carbon	Quarterly	7	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Total Dissolved Solids	Quarterly	1400	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Sodium (Na)	Quarterly	550	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Potassium (I) Ion	Quarterly	7.3	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Calcium (II) Ion	Quarterly	59	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Magnesium (II) Ion	Quarterly	30	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	1000	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Chloride	Quarterly	250	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Sulphate	Quarterly	<1	mg/L	N/A	N	
10/05/2016	MB003 (EPA#2)	Once	Ammonia as N	Quarterly	0.91	mg/L	10	N	
10/05/2016	MB005 (EPA#3)	Once	Standing Water Level	Quarterly	7.08	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Temperature (field)	Quarterly	17.9	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	pH (field)	Quarterly	7.61	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Electrical Conductivity (field)	Quarterly	391	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Dissolved Oxygen (field)	Quarterly	3.71	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Redox (field)	Quarterly	39	mg/L	N/A	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: 5105

Licensee Name: SUEZ

Facility Address: 275 Richardson Road Spring Farm, NSW 2570

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
10/05/2016	MB005 (EPA#3)	Once	Total Organic Carbon	Quarterly	7	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Total Dissolved Solids	Quarterly	220	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Sodium (Na)	Quarterly	55	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Potassium (I) Ion	Quarterly	23	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Calcium (II) Ion	Quarterly	3.8	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Magnesium (II) Ion	Quarterly	4.3	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	61	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Chloride	Quarterly	39	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Sulphate	Quarterly	18	mg/L	N/A	N	
10/05/2016	MB005 (EPA#3)	Once	Ammonia as N	Quarterly	0.089	mg/L	10	N	
10/05/2016	MB012 (EPA#5)	Once	Standing Water Level	Quarterly	17.16	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Temperature (field)	Quarterly	17.6	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	pH (field)	Quarterly	7.02	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Electrical Conductivity (field)	Quarterly	2820	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Dissolved Oxygen (field)	Quarterly	1.77	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Redox (field)	Quarterly	9	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Total Organic Carbon	Quarterly	4	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Total Dissolved Solids	Quarterly	1900	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Sodium (Na)	Quarterly	830	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Potassium (I) Ion	Quarterly	11	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Calcium (II) Ion	Quarterly	41	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Magnesium (II) Ion	Quarterly	46	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	1700	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Chloride	Quarterly	160	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Sulphate	Quarterly	3	mg/L	N/A	N	
10/05/2016	MB012 (EPA#5)	Once	Ammonia as N	Quarterly	1	mg/L	10	N	
10/05/2016	MB013 (EPA#6)	Once	Standing Water Level	Quarterly	18.53	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Temperature (field)	Quarterly	18.6	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	pH (field)	Quarterly	5.95	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Electrical Conductivity (field)	Quarterly	2410	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Dissolved Oxygen (field)	Quarterly	1.85	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Redox (field)	Quarterly	-11	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Total Organic Carbon	Quarterly	5	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Total Dissolved Solids	Quarterly	1500	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Sodium (Na)	Quarterly	650	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Potassium (I) Ion	Quarterly	9.8	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Calcium (II) Ion	Quarterly	31	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Magnesium (II) Ion	Quarterly	20	mg/L	N/A	N	



## Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:	5105	Licensee Name:	SUEZ	Facility Address:	275 Richardson Road Spring Farm, NSW 2570	<i>Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website <a href="http://www.epa.nsw.gov.au">www.epa.nsw.gov.au</a></i>
------------------------------------------	------	----------------	------	-------------------	----------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
10/05/2016	MB013 (EPA#6)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	430	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Chloride	Quarterly	630	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Sulphate	Quarterly	2	mg/L	N/A	N	
10/05/2016	MB013 (EPA#6)	Once	Ammonia as N	Quarterly	1.8	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Standing Water Level	Quarterly	11.59	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Temperature (field)	Quarterly	21	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	pH (field)	Quarterly	7.1	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Electrical Conductivity (field)	Quarterly	11830	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Dissolved Oxygen (field)	Quarterly	4.82	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Redox (field)	Quarterly	3	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Total Organic Carbon	Quarterly	3	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Total Dissolved Solids	Quarterly	11000	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Sodium (Na)	Quarterly	3400	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Potassium (I) Ion	Quarterly	30	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Calcium (II) Ion	Quarterly	220	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Magnesium (II) Ion	Quarterly	610	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	1200	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Chloride	Quarterly	5600	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Sulphate	Quarterly	470	mg/L	N/A	N	
10/05/2016	MB016 (EPA#7)	Once	Ammonia as N	Quarterly	3.7	mg/L	10	N	
10/05/2016	MB017 (EPA#8)	Once	Standing Water Level	Quarterly	31.99	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Temperature (field)	Quarterly	19	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	pH (field)	Quarterly	6.89	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Electrical Conductivity (field)	Quarterly	7000	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Dissolved Oxygen (field)	Quarterly	0.98	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Redox (field)	Quarterly	-39	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Total Organic Carbon	Quarterly	13	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Total Dissolved Solids	Quarterly	4500	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Sodium (Na)	Quarterly	2300	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Potassium (I) Ion	Quarterly	11	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Calcium (II) Ion	Quarterly	35	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Magnesium (II) Ion	Quarterly	8.6	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Total Alkalinity (Carbonate and Bicarbonate)	Quarterly	1600	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Chloride	Quarterly	1800	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Sulphate	Quarterly	5	mg/L	N/A	N	
10/05/2016	MB017 (EPA#8)	Once	Ammonia as N	Quarterly	3.2	mg/L	10	N	