



## Pollutant Monitoring Results - General Pollutant

Environmental Protection EPL 7628  
Licence Number:

Licencee Name:

Suez

Facility Address:

Newline Road Landfill  
330 Newline Road  
Raymond Terrace, NSW 2324

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
13/01/2016	Void 2/3	1	Methane	Quarterly	3.1	ppm	NA	N	ERM Reference point 1
13/01/2016	Void 2/3	1	Methane	Quarterly	6.1	ppm	NA	N	ERM Reference point 2
13/01/2016	Void 2/3	1	Methane	Quarterly	2.7	ppm	NA	N	ERM Reference point 3
13/01/2016	Void 2/3	1	Methane	Quarterly	3.2	ppm	NA	N	ERM Reference point 4
13/01/2016	Void 2/3	1	Methane	Quarterly	3.8	ppm	NA	N	ERM Reference point 5
13/01/2016	Void 2/3	1	Methane	Quarterly	3.6	ppm	NA	N	ERM Reference point 6
13/01/2016	Void 2/3	1	Methane	Quarterly	3	ppm	NA	N	ERM Reference point 7
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 8
13/01/2016	Void 2/3	1	Methane	Quarterly	2.1	ppm	NA	N	ERM Reference point 9
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 10
13/01/2016	Void 2/3	1	Methane	Quarterly	2.1	ppm	NA	N	ERM Reference point 11
13/01/2016	Void 2/3	1	Methane	Quarterly	2.8	ppm	NA	N	ERM Reference point 12
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 13
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 14
13/01/2016	Void 2/3	1	Methane	Quarterly	2.9	ppm	NA	N	ERM Reference point 15
13/01/2016	Void 2/3	1	Methane	Quarterly	3.1	ppm	NA	N	ERM Reference point 16
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 17
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 18
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 19
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 20
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 21
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 22
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 23
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 24
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 25
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 26
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 27
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 28
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 29
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 30
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 31
13/01/2016	Void 2/3	1	Methane	Quarterly	2.7	ppm	NA	N	ERM Reference point 32
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 33



## Pollutant Monitoring Results - General Pollutant

Environmental Protection EPL 7628  
Licence Number:

Licencee Name:

Suez

Facility Address:

Newline Road Landfill  
330 Newline Road  
Raymond Terrace, NSW 2324

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 34
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 35
13/01/2016	Void 2/3	1	Methane	Quarterly	1.6	ppm	NA	N	ERM Reference point 36
13/01/2016	Void 2/3	1	Methane	Quarterly	1.8	ppm	NA	N	ERM Reference point 37
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 38
13/01/2016	Void 2/3	1	Methane	Quarterly	2.1	ppm	NA	N	ERM Reference point 39
13/01/2016	Void 2/3	1	Methane	Quarterly	2.4	ppm	NA	N	ERM Reference point 40
13/01/2016	Void 2/3	1	Methane	Quarterly	2.4	ppm	NA	N	ERM Reference point 41
13/01/2016	Void 2/3	1	Methane	Quarterly	2.4	ppm	NA	N	ERM Reference point 42
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 43
13/01/2016	Void 2/3	1	Methane	Quarterly	2.1	ppm	NA	N	ERM Reference point 44
13/01/2016	Void 2/3	1	Methane	Quarterly	2.1	ppm	NA	N	ERM Reference point 45
13/01/2016	Void 2/3	1	Methane	Quarterly	2.4	ppm	NA	N	ERM Reference point 46
13/01/2016	Void 2/3	1	Methane	Quarterly	2.9	ppm	NA	N	ERM Reference point 47
13/01/2016	Void 2/3	1	Methane	Quarterly	1.7	ppm	NA	N	ERM Reference point 48
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 49
13/01/2016	Void 2/3	1	Methane	Quarterly	1.9	ppm	NA	N	ERM Reference point 50
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 1
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 2
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 3
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 4
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 5
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 6
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 7
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 8
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 9
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 10
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 11
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 12
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 13
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 14
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 15
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 16



## Pollutant Monitoring Results - General Pollutant

Environmental Protection EPL 7628  
Licence Number:

Licence Number:

Suez

Facility Address:

Newline Road Landfill  
330 Newline Road  
Raymond Terrace, NSW 2324

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 17
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 18
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 19
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 20
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 21
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 22
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 23
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 24
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 25
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 26
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 27
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 28
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 29
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 30
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 31
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 32
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 33
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 34
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 35
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 36
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 37
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 38
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 39
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 40
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 41
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 42
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 43
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 44
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 45
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 46
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 47
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 48
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 49



## Pollutant Monitoring Results - General Pollutant

Environmental Protection EPL 7628  
Licence Number:

Licencee Name:

Suez

Facility Address:

Newline Road Landfill  
330 Newline Road  
Raymond Terrace, NSW 2324

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
13/01/2016	Void 2/3	1	Carbon Dioxide	Quarterly	0	%	NA	N	ERM Reference point 50
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 1
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 2
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 3
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 4
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 5
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 6
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.2	%	NA	N	ERM Reference point 7
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 8
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 9
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 10
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 11
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 12
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 13
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 14
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 15
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 16
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 17
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 18
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 19
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 20
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 21
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 22
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 23
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 24
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 25
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 26
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 27
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 28
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 29
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 30
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 31
13/01/2016	Void 2/3	1	Oxygen	Quarterly	20.5	%	NA	N	ERM Reference point 32

















## Pollutant Monitoring Results - General Pollutant

Environmental Protection EPL 7628  
Licence Number:

Licensee Name:

Suez

Facility Address:

Newline Road Landfill  
330 Newline Road  
Raymond Terrace, NSW 2324

*Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)*

A copy of the full licence can be found on the POEO Public Register  
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments