



Pollutant Monitoring Results Water Monitoring

THE LEADER IN RESOURCE RECOVERY

Licensee Name:

Environmental Protection Licence Number:

Facility Address:

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/erpoeoapp/>

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SITA's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SITA Australia. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

Date Monitoring Obtained	Sampling Point	No. of times measured during month	Pollutant	Monitoring Frequency Required by licence	Min Value	Mean Value	Median Value	Max Value	Unit	If Applicable Pollutant limit as per licence	Exceedance (Y/N) or NA	Comments
25/02/2014	(MB002) EPA# 1	once	Alkalinity (as calcium carbonate)	Quarterly	330	330	330	330	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Aluminium	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Arsenic	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Barium	Yearly	0.24	0.24	0.24	0.24	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Cadmium	Yearly	330	330	330	330	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Calcium	Quarterly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Chloride	Quarterly	4200	4200	4200	4200	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Chromium (hexavalent)	Yearly	0.009	0.009	0.009	0.009	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Chromium (Total)	Yearly	0.001	0.001	0.001	0.001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Cobalt	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Copper	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Ethyl benzene	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Fluoride	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Lead	Yearly	320	320	320	320	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Magnesium	Quarterly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Manganese	Yearly	0.22	0.22	0.22	0.22	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Mercury	Yearly	<0.05	<0.05	<0.05	<0.05	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Nitrate	Yearly	1.2	1.2	1.2	1.2	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Nitrogen (ammonia)	Quarterly	0.22	0.22	0.22	0.22	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Organochlorine pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Organophosphate pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	pH	Quarterly	6.67	6.67	6.67	6.67	pH	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Polycyclic aromatic hydrocarbons	Yearly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Potassium	Quarterly	21	21	21	21	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Sodium	Quarterly	2400	2400	2400	2400	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Standing Water Level	Quarterly	11.02	11.02	11.02	11.02	Metres	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Sulfate	Quarterly	130	130	130	130	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Toluene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Total dissolved solids	Quarterly	11000	11000	11000	11000	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Total Organic Compounds	Quarterly	4	4	4	4	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Total petroleum hydrocarbons	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Total Phenolics	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Xylene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB002) EPA# 1	once	Zinc	Yearly	0.11	0.11	0.11	0.11	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Alkalinity (as calcium carbonate)	Quarterly	30	30	30	30	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Aluminium	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Arsenic	Yearly	0	0	0	0	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Barium	Yearly	2.5	2.5	2.5	2.5	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Cadmium	Yearly	30	30	30	30	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Calcium	Quarterly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	

Date Monitoring Obtained	Sampling Point	No. of times measured during month	Pollutant	Monitoring Frequency Required by licence	Min Value	Mean Value	Median Value	Max Value	Unit	If Applicable Pollutant limit as per licence	Exceedance (Y/N) or NA	Comments
25/02/2014	(MB003) EPA # 2	once	Chloride	Quarterly	230	230	230	230	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Chromium (hexavalent)	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Chromium (Total)	Yearly	0.009	0.009	0.009	0.009	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Cobalt	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Copper	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Ethyl benzene	Yearly	0.17	0.17	0.17	0.17	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Fluoride	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Lead	Yearly	27	27	27	27	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Magnesium	Quarterly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Manganese	Yearly	0.087	0.087	0.087	0.087	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Mercury	Yearly	<0.05	<0.05	<0.05	<0.05	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Nitrate	Yearly	0.017	0.017	0.017	0.017	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Nitrogen (ammonia)	Quarterly	1.5	1.5	1.5	1.5	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Organochlorine pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Organophosphate pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	pH	Quarterly	6.78	6.78	6.78	6.78	pH	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Polycyclic aromatic hydrocarbons	Yearly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Potassium	Quarterly	7.9	7.9	7.9	7.9	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Sodium	Quarterly	660	660	660	660	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Standing Water Level	Quarterly	21.04	21.04	21.04	21.04	Metres	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Sulfate	Quarterly	43	43	43	43	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Toluene	Yearly	22	22	22	22	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Total dissolved solids	Quarterly	1700	1700	1700	1700	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Total Organic Compounds	Quarterly	1	1	1	1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Total petroleum hydrocarbons	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Total Phenolics	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Xylene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB003) EPA # 2	once	Zinc	Yearly	0.013	0.013	0.013	0.013	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Alkalinity (as calcium carbonate)	Quarterly	3.1	3.1	3.1	3.1	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Aluminium	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Arsenic	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Barium	Yearly	0.041	0.041	0.041	0.041	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Cadmium	Yearly	3	3	3	3	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Calcium	Quarterly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Chloride	Quarterly	20	20	20	20	mg/L	N/A	NA	
25/02/2014	(MB005) EPA #3	once	Chromium (hexavalent)	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	

Date Monitoring Obtained	Sampling Point	No. of times measured during month	Pollutant	Monitoring Frequency Required by licence	Min Value	Mean Value	Median Value	Max Value	Unit	If Applicable Pollutant limit as per licence	Exceedance (Y/N) or NA	Comments
25/02/2014	IMB005) EPA #3	once	Chromium (Total)	Yearly	0.009	0.009	0.009	0.009	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Cobalt	Yearly	0.003	0.003	0.003	0.003	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Copper	Yearly	0.001	0.001	0.001	0.001	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Ethyl benzene	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Fluoride	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Lead	Yearly	2.4	2.4	2.4	2.4	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Magnesium	Quarterly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Manganese	Yearly	0.64	0.64	0.64	0.64	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Mercury	Yearly	<0.05	<0.05	<0.05	<0.05	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Nitrate	Yearly	6.2	6.2	6.2	6.2	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Nitrogen (ammonia)	Quarterly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Organochlorine pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Organophosphate pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	pH	Quarterly	6.64	6.64	6.64	6.64	pH	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Polycyclic aromatic hydrocarbons	Yearly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Potassium	Quarterly	24	24	24	24	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Sodium	Quarterly	31	31	31	31	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Standing Water Level	Quarterly	6.97	6.97	6.97	6.97	Metres	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Sulfate	Quarterly	12	12	12	12	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Toluene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Total dissolved solids	Quarterly	160	160	160	160	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Total Organic Compounds	Quarterly	4	4	4	4	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Total petroleum hydrocarbons	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Total Phenolics	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Xylene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB005) EPA #3	once	Zinc	Yearly	0.059	0.059	0.059	0.059	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Alkalinity (as calcium carbonate)	Quarterly	14	14	14	14	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Aluminium	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Arsenic	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Barium	Yearly	0.35	0.35	0.35	0.35	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Cadmium	Yearly	14	14	14	14	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Calcium	Quarterly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Chloride	Quarterly	76	76	76	76	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Chromium (hexavalent)	Yearly	0.005	0.005	0.005	0.005	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Chromium (Total)	Yearly	0.009	0.009	0.009	0.009	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Cobalt	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Copper	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Ethyl benzene	Yearly	0.26	0.26	0.26	0.26	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Fluoride	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Lead	Yearly	5.7	5.7	5.7	5.7	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Magnesium	Quarterly	0.003	0.003	0.003	0.003	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Manganese	Yearly	0.012	0.012	0.012	0.012	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Mercury	Yearly	<0.05	<0.05	<0.05	<0.05	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Nitrate	Yearly	0.05	0.05	0.05	0.05	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Nitrogen (ammonia)	Quarterly	0.33	0.33	0.33	0.33	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Organochlorine pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Organophosphate pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	pH	Quarterly	8.66	8.66	8.66	8.66	pH	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Polycyclic aromatic hydrocarbons	Yearly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Potassium	Quarterly	4.4	4.4	4.4	4.4	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Sodium	Quarterly	180	180	180	180	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Standing Water Level	Quarterly	18.6	18.6	18.6	18.6	Metres	N/A	NA	

Date Monitoring Obtained	Sampling Point	No. of times measured during month	Pollutant	Monitoring Frequency Required by licence	Min Value	Mean Value	Median Value	Max Value	Unit	If Applicable Pollutant limit as per licence	Exceedance (Y/N) or NA	Comments
25/02/2014	IMB012) EPA #5	once	Sulfate	Quarterly	96	96	96	96	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Toluene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Total dissolved solids	Quarterly	530	530	530	530	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Total Organic Compounds	Quarterly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Total petroleum hydrocarbons	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Total Phenolics	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Xylene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB012) EPA #5	once	Zinc	Yearly	0.014	0.014	0.014	0.014	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Alkalinity (as calcium carbonate)	Quarterly	46	46	46	46	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Aluminium	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Arsenic	Yearly	<0.01	<0.01	<0.01	<0.01	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Barium	Yearly	0.76	0.76	0.76	0.76	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Cadmium	Yearly	46	46	46	46	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Calcium	Quarterly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Chloride	Quarterly	260	260	260	260	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Chromium (hexavalent)	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Chromium (Total)	Yearly	0.009	0.009	0.009	0.009	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Cobalt	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Copper	Yearly	<0.001	<0.001	<0.001	<0.001	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Ethyl benzene	Yearly	0.31	0.31	0.31	0.31	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Fluoride	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Lead	Yearly	13	13	13	13	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Magnesium	Quarterly	0.007	0.007	0.007	0.007	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Manganese	Yearly	0.048	0.048	0.048	0.048	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Mercury	Yearly	<0.05	<0.05	<0.05	<0.05	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Nitrate	Yearly	0.92	0.92	0.92	0.92	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Nitrogen (ammonia)	Quarterly	0.38	0.38	0.38	0.38	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Organochlorine pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Organophosphate pesticides	Yearly	<0.002	<0.002	<0.002	<0.002	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	pH	Quarterly	7.97	7.97	7.97	7.97	pH	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Polycyclic aromatic hydrocarbons	Yearly	<0.0001	<0.0001	<0.0001	<0.0001	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Potassium	Quarterly	12	12	12	12	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Sodium	Quarterly	280	280	280	280	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Standing Water Level	Quarterly	19.2	19.2	19.2	19.2	Metres	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Sulfate	Quarterly	26	26	26	26	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Toluene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Total dissolved solids	Quarterly	830	830	830	830	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Total Organic Compounds	Quarterly	3	3	3	3	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Total petroleum hydrocarbons	Yearly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Total Phenolics	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Xylene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB013) EPA #6	once	Zinc	Yearly	0.057	0.057	0.057	0.057	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Alkalinity (as calcium carbonate)	Quarterly	200	200	200	200	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Aluminium	Yearly	<10	<10	<10	<10	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Arsenic	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Barium	Yearly	210	210	210	210	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Benzene	Yearly	<1	<1	<1	<1	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Cadmium	Yearly	200	200	200	200	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Calcium	Quarterly	<0.1	<0.1	<0.1	<0.1	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Chloride	Quarterly	4500	4500	4500	4500	mg/L	N/A	NA	
25/02/2014	IMB016) EPA #7	once	Chromium (hexavalent)	Yearly	<0.005	<0.005	<0.005	<0.005	mg/L	N/A	NA	